Anaesthesia, 2007, **62**, pages iii–xv

Contents – Volume 62

Number 1, January 2007

Editorial

1 One day for Africa: anaesthesia in Uganda and beyond *D. G. Bogod*

Original articles

4 Anaesthesia services in developing countries: defining the problems *S. C. Hodges, C. Mijumbi, M. Okello, B. A. McCormick, I. A. Walker and I. H. Wilson*

12 Incidence and duration of residual paralysis at the end of surgery after multiple administrations of cisatracurium and rocuronium *D. M. Maybauer, G. Geldner, M. Blobner, F. Pühringer, R. Hofmockel, C. Rex, H. F. Wulf, L. Eberhart, C. Arndt and M. Eikermann*

18 Midazolam vs ondansetron for preventing postoperative nausea and vomiting: a randomised controlled trial *Y. Lee, J. J. Wang, Y. L. Yang, A. Chen and H. Y. Lai*

23 The effect of positive end expiratory pressure on the respiratory profile during one-lung ventilation for thoracotomy *L. M. C. Leong, S. Chatterjee and F. Gao*

27 Pattern of ventilation during manual hyperinflation performed by physiotherapists *L. J. Maxwell and E. R. Ellis*

34 Use of helium-oxygen mixture in adult patients presenting with exacerbations of asthma and chronic obstructive pulmonary disease: a systematic review *C. L. Colebourn, V. Barber and J. D. Young*

43 Cost effectiveness of recombinant activated factor VII for the control of bleeding in patients with severe blunt trauma injuries in the United Kingdom *S. Morris, S. Ridley, V. Munro and M. C. Christensen on behalf of the NovoSeven® Trauma Study Group*

53 The attitudes and beliefs of healthcare professionals on the causes and reporting of medication errors in a UK Intensive care unit *I. S. Sanghera, B. D. Franklin and S. Dhillon*

62 The use of nitrous oxide in paediatric anaesthetic practice in the United Kingdom: a questionnaire survey *T. E. Sheraton, C. D. Gildersleve and J. E. Hall*

Apparatus

67 Assessing the efficacy of HME filters at preventing contamination of breathing systems *L. M. Rees, T. E. Sheraton, C. Modestini, A. R. Wilkes and J. E. Hall*

Case reports

72 Extracorporeal carbon dioxide removal using the Novalung® in a patient with intracranial bleeding *A. Mallick, S. Elliot, J. McKinlay and A. Bodenham*

75 Treatment of the first known case of king cobra envenomation in the United Kingdom, complicated by severe anaphylaxis *T. Veto, R. Price, J. F. Silsby and J. A. Carter*

79 Neurocardiogenic syncope in the obstetric patient *L. Saqr and M. M. Kumar*

85 Tumour lysis syndrome developing during an operation *M. H. Lee, K. I. Cheng, R. C. Jang, J. H. Hsu, Z. K. Dai and J. R. Wu*

Correspondence

88 Who or what defines 'best interests'? *M. E. McBrien, C. McCarroll and G. Heyburn*
R. Hegde, M. D. D. Bell and P. Cole

90 Jehovah's Witnesses: who or what defines 'best interests' *R. Carter and P. Wade*

90 Monitoring cardiac output from the radial artery pressure waveform *R. M. L'E. Orme and D. W. Pigott*
R. B. P. de Wilde, P. C. M. van den Berg and J. R. C. Jansen

91 Intra-ocular pressure during lumbar disc surgery *R. E. Turbin, I. Ahukanna, B. C. Szirth, G. Grant, H. L. Bennet and R. D. Fechtner*
W. Tiefenthaler, M. Gabl, B. Teuchner and A. Benzer

92 Sub-atmospheric pressure in the thoracic epidural space *W. A. Visser*

93 Decision analysis *A. M.-H. Ho, A. Lee, G. M. Joynt and M. K Karmakar*
S. M. Yentis

94 Methylene blue for parathyroid localisation *I. R. Appadurai and D. Scott-Coombes*

94 Blocked syringe with use of needle-free connector *S. R. McCallum, G. R. Graham and P. E. Sigston*

95 Blood pressure and heart rate changes during intubation *A. Ahmed-Nusrath, J. L. Tong and J. E. Smith*

95 Anti-clockwise rotation of the tracheal tube *P. S. Cossham*

95 Critical incident involving syringe labels *M. Parry and S. Morris*
S. Mistry

96 A new technique for ilio-inguinal and iliohypogastric nerve block *R. G. Craig and S. K. Singh*

© 2007 Blackwell Publishing Ltd

97 Novel local anaesthetic analgesic technique for tongue-tie *S. R. Froom and J. Stewart*
97 Monitoring end-tidal carbon dioxide in the recovery room *K. K. Ramaswamy and C. Frerk*
98 Compartment syndrome following surgery in the lithotomy position *A. Brinker and C. Doehn*
98 Unauthorised access to the contents of a Graseby 3300 PCA pump *C. Peady J. Charters*
99 Anaesthetic 'in-flight' checks: the ABC sweep *E. G. N. Williams*
99 Anaesthetic gas monitoring devices – the new gadget for the motorhome owner *G. Park and M. Shelly*

100 Erratum

Abstracts

101 Abstracts presented at the Annual Scientific Meeting of the British Ophthalmic Anaesthesia Society in Birmingham, June 2006

i Instructions for Authors

Number 2, February 2007

Editorial

105 Fighting for breath: apnoea vs the anaesthetist *R. A. McCahon and J. G. Hardman*

Original articles

109 Evaluation of echocardiography indices of systolic function: a comparative study using pressure-volume loops in patients undergoing coronary artery bypass surgery *C. F. Royse, K. A. Connelly, G. MacLaren and A. G. Royse*
117 Correlation between heart rate variability and haemodynamic fluctuation during induction of general anaesthesia: comparison between linear and non-linear analysis *Y. Fujiwara, S. Kurokawa, Y. Asakura, Y. Wakao, K. Nishiwaki and T. Komatsu*
122 Anaesthetists' management of oxygen pipeline failure: room for improvement *J. Weller, A. Merry, G. Warman and B. Robinson*
127 Inflation with air via a facepiece for facilitating insertion of a nasogastric tube: a prospective, randomised, double-blind study *D. Gupta, A. Agarwal, S. S. Nath, D. Goswami, V. Saraswat and P. K. Singh*
131 Tracheal tube tip displacement during laparoscopy in children *S. Böttcher-Haberzeth, A. Dullenkopf, C. A. Gitzelmann and M. Weiss*
135 A comparison of intubating conditions in children following induction of anaesthesia with propofol and suxamethonium or propofol and remifentanil *J. M. Morgan, I. Barker, J. E. Peacock and A. Eissa*
140 The effect of skin surface warming on pre-operative anxiety in neurosurgery patients *O. Kimberger, U. Illievich and R. Lenhardt*
146 Mechanisms influencing the vasoactive effects of lidocaine in human skin *D. J. Newton, G. A. McLeod, F. Khan and J. J. F. Belch*

Review article

151 Simulators for use in anaesthesia *D. Cumin and A. F. Merry*

Apparatus

163 Minimum and optimum light output of Macintosh size 3 laryngoscopy blades: a manikin study *A. Scholz, N. Farnum, A. R. Wilkes, M. A. Hampson and J. E. Hall*
169 Non-conventional uses of the Aintree Intubating Catheter in management of the difficult airway *T. M. Cook, C. Seller, K. Gupta, M. Thornton and E. O'Sullivan*

Case reports

175 Death potentially secondary to sub-Tenon's block *C. L. Quantock and T. Goswami*
178 Anaesthetic management of uncontrolled idiopathic intracranial hypertension during labour and delivery using an intrathecal catheter *E. E. Aly and B. K. Lawther*
182 Interventional radiological removal of a foreign body from a peripheral bronchus *D. Arawwawala, C. Lane, J. Jackson and P. Patel*
186 Peri-operative atrioventricular block as a result of chemotherapy with epirubicin and paclitaxel *D. W. Wheeler, T. V. Liew and A. R. Bailey*

Correspondence

190 Training in airway management *R. Vaughan T. M. Cook*
192 Breathing system filters for paediatric practice *N. R. Bennett and R. Bingham C. Cann, A. R. Wilkes and J. E. Hall*
193 Comparison of the jaw lift with the Berman airway for fibreoptic intubation *K. B. Greenland, J. J. Pandit, R. Iqbal, M. T. Popat and S. M. Yentis*
194 Risks and benefits of tight glycaemic control *S. E. Wright, I. D. Nesbitt, D. M. Cressey and J. J. Walton*
195 Acute peri-operative beta blockade in intermediate-risk patients *C. Bygrave and C. M. Harper*
195 Transfer of patients from anaesthetic room to operating theatre *B. Arthur and A. McGlennan M. A. Broom, D. S. Ure and J. Slater*
196 Transfer of the morbidly obese from anaesthetic room to theatre *D. Herriman and J. Vernon*
197 Routine bacterial culture from epidural catheter tips *S. Sagadai, K. Srirangadarshan and V. Kapoor S. Mishra, S. Bhatnagar, M. Srikanti and D. Gupta*

© 2007 Blackwell Publishing Ltd

198 Awareness, dreaming or steroid-induced psychosis *H. Adams*
198 Maintaining body temperature during surgery *S. Goon, M. Seagrave, J. Vernon and B. E. Scammell*
199 Airway Scope for difficult intubation *T. Asai, Y. Enomoto and Y. Okuda*
199 Laryngeal oedema complicating extubation *B. Holst, S. Berry, D. Evans and R. Evans*
200 Possible malignant hyperthermia during spinal anaesthesia with tetracaine *C.-C. Sheu, J.-R. Tsai and J.-Y. Hung*
201 Intra-operative bradycardia in a patient with Alzheimer's disease treated with two cholinesterase inhibitors *P. M. Jones and R. M. Soderman*
201 The Fiberoptic Training Jig *W. Rosenblatt*
202 Prothrombin complex for massive obstetric haemorrhage *J. C. Glynn and F. Plaat*
203 Needle-stick injuries from securing central lines *W. Salamut and J. A. Wilson*
203 Airway obstruction from denture fixative *S. Ramani*
204 A solution to one cause of accidental cuff deflation *T. McCormick and G. Shaw*
204 Another use for lipid rescue? *D. W. Wheeler*

205 Book review

205 Erratum

Abstracts

206 Abstracts presented at the Autumn Meeting of the Association of Cardiothoracic Anaesthetists in Cambridge, September 2006

Number 3, March 2007

Editorial

211 Anaesthesia, research and translation: "send not to know for whom the bell tolls ..." *G. D. Shorten*

Original articles

214 Awake fibrecapnic intubation in head and neck cancer patients with difficult airways: new findings and refinements to the technique *J. M. Huitink, A. J. M. Balm, C. Keijzer and D. R. Buitelaar*
220 The circulatory responses to tracheal intubation in children: a comparison of the oral and nasal routes *F. S. Xue, X. Liao, K. P. Liu, Y. Liu, Y. C. Xu, Q. Y. Yang, P. Li, C. W. Li and H. T. Sun*
227 Head position for opening the upper airway *P. Paal, A. v. Goedecke, H. Brugger, T. Niederklapfer, K. H. Lindner and V. Wenzel*
231 Minimally invasive endoscopic port-access™ intracardiac surgery with one lung ventilation: impact on gas exchange and anaesthesia resources *E. Kottenberg-Assenmacher, M. Kamler and J. Peters*
239 Psychological assessment of ICU survivors: a comparison between the Hospital Anxiety and Depression scale and the Depression, Anxiety and Stress scale *K. T. Sukantarat, R. C. N. Williamson and S. J. Brett*
244 Cost evaluation in the intensive care units of Trinidad applying the cost-blocks method – an international comparison *S. Hariharan, D. Chen and L. Merritt-Charles*
250 Rectal lactate levels in endoluminal microdialysate during routine coronary surgery *E. Solligård, A. Wahba, E. Skogvoll, R. Stenseth, J. E. Grønbech and P. Aadahl*
259 The short-term effect of hyperoncotic albumin, given alone or with furosemide, on oxygenation in sepsis-induced Acute Respiratory Distress Syndrome *M. Kuper, M. P. Gunning, S. Halder and N. Soni*

Review article

264 Temporary epicardial pacing after cardiac surgery: a practical review: Part 1: General considerations in the management of epicardial pacing *M. C. Reade*

Apparatus

272 Retention of tracheal intubation skills by novice personnel: a comparison of the Airtraq® and Macintosh laryngoscopes *C. H. Maharaj, J. Costello, B. D. Higgins, B. H. Harte and J. G. Laffey*

Case reports

279 Takotsubo cardiomyopathy: an uncommon cause of ST segment elevation in Intensive Care *J. R. Bennett, D. McCarty, C. M. Wilson and F. O'Neill*
282 The use of drotrecogin alfa (activated) in a patient with recent orthotopic liver transplant *E. Browne, D. M. Cressey, K. Agarwal and J. F. Cosgrove*
286 The effect of alcohol swabs and filter straws on reducing contamination of glass ampoules used for neuroaxial injections *C. J. Hemingway, S. Malhotra, M. Almeida, B. Azadian and S. M. Yentis*

Correspondence

289 Needle cricothyroidotomy *T. M. Cook, J. P. Nolan, P. T. Magee and J. H. Cranshaw M. Woollard*
291 Parecoxib – getting to the heart of the matter *S. A. Schug, G. P. Joshi and F. Camu M. J. Maxwell and M. H. Nathanson*
292 Tracheal stenosis after percutaneous dilational tracheostomy *M. D. D. Bell, A. R. Bodenham, P. G. Murphy and S. Mackenzie A. Koitschev, C. Simon and S. Graumüller*
293 The effect of cigarette smoking on the hypnotic efficacy of propofol *K. Crocker, P. Morgan and S. Jaggar C. Lysakowski and M. R. Tramèr*
294 A self-contained operating table *N. Eipe and K. Mahajan*

© 2007 Blackwell Publishing Ltd

294 Configuration of draw-over anaesthetic breathing system *M. C. Eales, W. A. English, R. Eltringham and I. T. Houghton*
295 Use of the AnaConDa™ anaesthetic delivery system to treat life-threatening asthma *H. Thomson, N. J. Harper and A. Parkes*
296 A rigid 'flexible' laryngeal mask *A. Thompson and G. Van Hasselt*
297 Loose caps packaged with breathing filters *R. E. Prout and S. Underwood*
297 Change in design of intra-aortic balloon catheter *D. Higgins and M. Kan*
298 Kinking of an Aintree Intubation Catheter *G. Russell and A. Olusunmade*
298 Difficulty in deflating a tracheostomy tube cuff *B. M. Cornforth*
299 National survey of the routine measurement of tracheal tube cuff pressure in ICU *N. Burke, R. Baba, A. Moghal and C. Hosahalli Vasappa*
299 Nerve stimulator-guided cervical plexus block for carotid endarterectomy *A. Zeidan and F. Hayek*
300 Rebreathing due to incorrectly fitted seal on an Aestiva S/5 *J. Phillips, K. Jones and N. S. Parekh*

Abstracts

301 Abstracts presented at the Annual Congress of the Association of Anaesthetists of Great Britain & Ireland in Aberdeen, September 2006 and the Group of Anaesthetists in Training Annual Scientific Meeting in Newcastle, June 2006
314 Abstracts presented at the Spring Meeting of the Association of Cardiothoracic Anaesthetists in Cambridge, June 2006
317 Abstracts presented at the meeting of the Society for Education in Anaesthesia (UK) in London, March 2006

Number 4, April 2007

Editorial

319 Epidural endeavour and the pressure principle *M. J. A. Wilson*
322 New maintenance fluid guidelines for children: is 0.9% sodium chloride with 5% glucose a good choice? *P. Stewart*

Original articles

325 Postoperative analgesia requirements at home after inguinal hernia repair: effects of wound infiltration on postoperative pain *M. E. Ausems, K. W. Hulsewé, P. M. Hooymans and A. G. Hoofwijk*
332 Internal jugular vein compression to assess the correct placement of an epidural catheter in postpartum women *J. Chilvers, J. Geoghegan, P. Moore and J. Shah*
335 Major complications of epidural analgesia after surgery: results of a six-year survey *I. W. Christie and S. McCabe*
342 Risk factors associated with bleeding during and after percutaneous dilational tracheostomy *M. Beiderlinden, M. Eikermann, N. Lehmann, M. Adamzik and J. Peters*
347 EchoComTEE – a simulator for transoesophageal echocardiography *M. Weidenbach, H. Drachsler, F. Wild, S. Kreutter, V. Razek, G. Grunst, J. Ender, T. Berlage and J. Janousek*
354 Avoidance of phrenic nerve paresis during continuous supraclavicular regional anaesthesia *P. B. Cornish, C. J. Leaper, G. Nelson, F. Anstis, C. McQuillan and R. Stienstra*
359 Comparison of work of breathing using drawover and continuous flow anaesthetic breathing systems in children *G. T. Bell, J. P. J. McEwen, S. J. Beaton and D. Young*

Review article

364 Temporary epicardial pacing after cardiac surgery: a practical review: Part 2: Selection of epicardial pacing modes and troubleshooting *M. C. Reade*

Special article

374 Weaning units: lessons from North America? *C. P. Subbe, G. J. Criner and S. V. Baudouin*

Apparatus

381 Comparison of the single use and reusable intubating laryngeal mask airway *W. H. L. Teoh and Y. Lim*
385 Tracheal intubation via the Classic™ and Proseal™ laryngeal mask airways: a manikin study using the Aintree Intubating Catheter *E. J. Blair, R. Mihai and T. M. Cook*
388 Evaluation of four airway training manikins as patient simulators for the insertion of eight types of supraglottic airway devices *K. M. Jackson and T. M. Cook*
394 The accuracy of non-invasive carbon dioxide monitoring: A clinical evaluation of two transcutaneous systems *D. Bolliger, L. A. Steiner, J. Kasper, O. A. Aziz, M. Filipovic and M. D. Seeberger*

Case reports

400 Portal venous gas – case report and review of the literature *A. H. Mohammed, A. H. Mohammed, U. P. Khot and D. Thomas*
405 Peri-operative management of an adult patient with type 2N von Willebrand's disease scheduled for coronary artery bypass graft *V. Gerling, J. R. Lahpor and W. Buhre*
409 Traumatic pulmonary pseudocysts *A. De, C. J. Peden and J. Nolan*

Correspondence

412 Advance directives *S. Walton R. Hegde, M. D. D. Bell and P. Cole*

© 2007 Blackwell Publishing Ltd

413 Who or what defines a patient's best interests? *M. E. McBrien, C. McCarroll and G. Heyburn R. Hegde, M. D. D. Bell and P. Cole D. G. Bogod*
415 Where is the cat? 'L'inganno del Paragone' (the metaphor con) *F. S. Rucci W. Harrop-Griffiths N. Denny*
417 In defence of Pippa *N. T. M. Jack*
418 Skin abscess obscured by epidural catheter fixation *R. Simons, L. Dinner and S. Lappin*
418 Residual sedation and brain stem death testing *M. B. Walker*
419 The i-gel™ airway for ventilation and rescue intubation *S. Sharma, R. Rogers and M. Popat*
420 Exercise induced anaphylaxis and pregnancy *R. Gupta and P. Moore*
420 Anaesthetic implications of electronic tagging *A. J. Sansome and C. Douse*
421 Corrosion of Penlon sevoflurane vaporisers *B. O'Neill, M. A. Hafiz and D. A. H. De Beer*
421 Faulty sevoflurane vaporiser *A. Gupta and J. Ely*
421 A survey of stress ulcer prophylaxis in Intensive Care Units in the UK *A. P. Gratrix, S. M. Enright and H. A. O'Beirne*
422 Use of continuous positive airway pressure via a laryngeal mask airway in a morbidly obese patient *M. Kocarev, S. Elliot and A. Mallick*
423 An unusual complication of a jaw thrust *S. J. B. Nicoll*

Abstracts

424 Abstracts presented at the Annual Scientific Meeting of the Vascular Anaesthetists Society in Leeds, September 2006

Snippet

428 New species of cylinder *P. Semple P. Henrys*

429 Book reviews

Number 5, May 2007

Editorial

431 Non-heart-beating organ donation – solution or a step too far? *D. Gardiner and B. Riley*

Original articles

434 Outcome after admission to ITU following out-of-hospital cardiac arrest: are non-survivors suitable for non-heart-beating organ donation? *A. P. Gratrix, A. J. Pittard and A. R. Bodenham*
438 Bispectral index values during elective rigid bronchoscopy: a prospective observational pilot study *M. D. Bould, D. G. Mahtani, R. Davies, M. Roughton, D. N. Hunter and A. Kelleher*
446 The optimal dose of remifentanil for intubation during sevoflurane induction without neuromuscular blockade in children *S. K. Min, Y. L. Kwak, S. Y. Park, J. S. Kim and J. Y. Kim*
451 Impact of Trendelenburg positioning on functional residual capacity and ventilation homogeneity in anaesthetised children *A. Regli, W. Habre, S. Saudan, C. Mamie, T. O. Erb and B. S. von Ungern-Sternberg on behalf of the Swiss Paediatric Respiratory Research Group*
456 The effect of cricoid pressure on intubation facilitated by the gum elastic bougie *U. McNelis, A. Syndercombe, I. Harper and J. Duggan*
460 Manual displacement of the uterus during Caesarean section *P. Kundra, S. Khanna, S. Habeebullah and M. Ravishankar*
466 Comparison of Acute Physiology and Chronic Health Evaluation (APACHE) II score with organ failure scores to predict hospital mortality *K. M. Ho, K. Y. Lee, T. Williams, J. Finn, M. Knuiman and S. A. R. Webb*

Review article

474 Systemic complications after head injury: a clinical review *H. B. Lim and M. Smith*

Special articles

483 A wasted opportunity for organ donation *G. Kumar*
483 Response. The law *M. Hassell*

Apparatus

486 A new infusion syringe label system designed to reduce task complexity during drug preparation *A. F. Merry, C. S. Webster and H. Connell*
492 Performance of six types of oxygen delivery devices at varying respiratory rates *T. A. J. Wagstaff and N. Soni*

Case reports

504 An evaluation of the filtration performance of paediatric breathing system filters at low flows *C. A. Malan, A. R. Wilkes, J. E. Hall and C. Gildersleve*
509 Comparison of the Levitan FPS Scope™ and the single-use bougie for simulated difficult intubation in anaesthetised patients *K. B. Greenland, G. Liu, H. Tan, M. Edwards and M. G. Irwin*
516 Levobupivacaine-induced seizures and cardiovascular collapse treated with Intralipid® *G. Foxall, R. McCahon, J. Lamb, J. G. Hardman and N. M. Bedforth*
519 Takotsubo syndrome during induction of general anaesthesia *M. Jabaudon, M. Bonnin, F. Bolandard, S. Chanseaume, C. Dauphin and J. E. Bazin*
524 Self-poisoning with lamotrigine and pregabalin *A. J. Braga and K. Chidley*

© 2007 Blackwell Publishing Ltd

Correspondence

528 Assessing the effectiveness of medical student teaching methods *S. H. McClelland and B. R. Baxendale B. A. Degnan, A. K. Gupta and D. W. Wheeler*

529 Simulator training for novice SHOs *R. J. Green and D. Mayne*

530 Confirming tracheal intubation *J. Varley U. B. Bahlmann, J. E. Hall, A. Turley, T. Armstrong, M. Absolom and R. Roberts*

530 Management of emergence agitation *S. Sathishkumar, S. Malviya and P. Dorje*

531 Death after a sub-Tenon's block *H. D. Palte and S. I. Gayer*

532 The non-flexible 'flexible' laryngeal mask airway *R. M. Jones and S. R. Froom N. Dill*

532 Failures of luer-slip syringes *F. K. McVey and N. Jayasheela D. Oates*

533 Use of the Airtraq® laryngoscope for anticipated difficult laryngoscopy *A. Norman and A. Date*

534 Diagnosis of bladder rupture by arterial blood gas analysis *S. B. Vohra and S. Kapur*

535 Variability in tracheostomy tubes *I. Aluna, R. C. Loveland and J. Rangasami*

535 Premedication with buccal midazolam in children and in adults with learning disabilities *R. K. Bailie, P. Michalek and J. T. Doherty*

536 A thyroid cyst mimicking a large neck vein on ultrasound *A. Raajkumar and K. Ramachandran*

537 Trauma training in the UK: is ATLS past its 'sell-by date'? *S. Sarkar, R. Worms and A. P. Hall*

537 Scotland vs. England: 'Anaesthetic Practitioner' or 'Physician Assistant-Anaesthesia' *A. May, T. Pettigrew and R. Smith*

538 Caring for manikins *M. Ward*

Snippet

539 Ultrasound guided posterior approach to the infraclavicular brachial plexus *P. Hebbard and C. Royse*

540 Errata

Number 6, June 2007

Editorials

541 Recurrent wrong-route drug error – a professional shame *D. Bell*

545 Nothing new under the sun: the Legacy Project for Anaesthesia *D. Bogod*

Original articles

547 Cost effectiveness of adult intensive care in the UK *S. Ridley and S. Morris*

555 Comparison of the analgesic efficacy and respiratory effects of morphine, tramadol and codeine after craniotomy *P. S. Sudheer, S. W. Logan, C. Terblanche, B. Ateleanu and J. E. Hall*

561 Haemodynamic changes and heart rate variability during midazolam-propofol co-induction *N. N. Win, H. Kohase, F. Yoshikawa, R. Wakita, M. Takahashi, N. Kondo, D. Ushito and M. Umino*

569 The use of single-use devices in anaesthesia: balancing the risks to patient safety *E. Rowley and R. Dingwall*

575 Microbial growth in propofol formulations with disodium edetate and the influence of venous access system dead space *T. Fukada and M. Ozaki*

581 Bilateral intra-oral, infra-orbital nerve block for postoperative analgesia following cleft lip repair in paediatric patients: comparison of bupivacaine vs bupivacaine–pethidine combination *N. Jonnavithula, P. Durga, D. K. Kulkarni and G. Ramachandran*

586 Customer focused incident monitoring in anaesthesia *F. A. Khan and S. Khimani*

Apparatus

591 Fibreoptic intubation using three airway conduits in a manikin: the effect of operator experience *I. Hodzovic, J. Petterson, A. R. Wilkes and I. P. Latto*

598 The Airtraq® as a rescue airway device following failed direct laryngoscopy: a case series *C. H. Maharaj, J. F. Costello, J. G. McDonnell, B. H. Harte and J. G. Laffey*

602 Intravenous infusions in hyperbaric chambers: effect of compression on syringe function *A. S. M. Hopson and A. Greenstein*

605 A randomised controlled trial of the electric heating pad vs forced-air warming for preventing hypothermia during laparotomy *K. K. Leung, A. Lai and A. Wu*

609 Oxford Miniature Vaporiser output with reversed gas flows *A. Donovan and H. Perndt*

Case reports

615 Fatal neuroglycopaenia after accidental use of a glucose 5% solution in a peripheral arterial cannula flush system *S. Sinha, R. Jayaram and C. G. Hargreaves*

621 Inadvertent epidural administration of insulin *J. E. Kal, E. E. W. Vlassak, E. R. Bulder and E. J. F. Franssen*

624 Enteral drugs given through a central venous catheter *T. C. Nicholson Roberts and M. Swart*

627 A case of acute upper and lower airway obstruction due to retropharyngeal haemorrhage secondary to acquired haemophilia A *M. Harper, L. Obolensky, P. Roberts and M. Mercer*

© 2007 Blackwell Publishing Ltd

Correspondence

631 Peri-operative management of diabetes *N. G. Lavies and J. May*
I. Jackson, I. Smith and B. Watson
H. J. Robertshaw and G. M. Hall

632 Treatment of neurocardiogenic syncope *B. Sweeney and M. Jaffer*
L. Saqr and M. M. Kumar

633 Pharyngeal packing during ENT surgery
I. R. Appadurai and A. Tomkinson
S. I. Basha and E. McCoy

634 Magnesium as an adjuvant during general anaesthesia *I. Ahmed and A. Majeed*
V. Vohra and K. Gupta

636 Configuration of drawover anaesthetic breathing systems *G. T. Bell and T. M'Grattan*

636 Midazolam vs ondansetron for preventing postoperative nausea and vomiting *G. Timms*
Y. Lee and H. Y. Lai

637 A knotty problem resolved *R. Albertyn and J. Warburton*

638 Blocked catheter mount *N. Puttick and D. Malik*
A. A. Cox

638 Inadvertent disconnection of the carbon dioxide absorber canister of a Blease Frontline anaesthetic machine *C. Jeganathan and K. Chandradeva*

639 Incompatibility between blood and Hartmann's solution *A. Nadra and I. Hodzovic*

639 Malfunctioning gas scavenging unit *C. L. Beecroft and S. Cole*

640 Valsalva manoeuvre for central venous cannulation *P. Cowlishaw and P. Ballard*

640 Preventing confusion due to possibly retained long lines *O. Boswell and A. Thompson*

641 Securing nasal tubes *S. Woods*

641 A simple and cheap training tool for airway endoscopy *R. Appelboam and D. Snow*

643 Obituary *M. Morgan*

644 Errata

Number 7, July 2007

Editorial

645 Intravenous conscious sedation for dental treatment: am I my brother's keeper? *L. Strunin*

Original articles

648 Estimation of pulmonary oxygen consumption in the early postoperative period after thoracic surgery *H. Saito, Y. Minamiya, H. Kawai, S. Motoyama, Y. Katayose, K. Kimura, R. Saito and J.-I. Ogawa*

654 Fentanyl dose–response curves when inserting the LMA Classic™ laryngeal mask airway *C. M. Wong, L. A. Critchley, A. Lee, K. S. Khaw and W. D. Ngan Kee*

661 Effect site concentration during propofol TCI sedation: a comparison of sedation score with two pharmacokinetic models *A. R. Barakat, N. Sutcliffe and M. Schwab*

667 Extending low-dose epidural analgesia in labour for emergency Caesarean section – a comparison of levobupivacaine with or without fentanyl *S. Malhotra and S. M. Yentis*

672 Subcutaneous naloxone for the prevention of intrathecal morphine induced pruritus in elective Caesarean delivery *P. F. Lockington and P. Fa'aea*

677 The effect of local cooling on pain perception during infiltration of local anaesthetic agents, a prospective randomised controlled trial *D. R. Leff, M. Nortley, Van Dang and R. P. Bhutiani*

683 The development and validation of the Pre-operative Intrusive Thoughts Inventory (PITI) *J. K. Crockett, A. Gumley and A. Longmate*

Review article

690 Propofol infusion syndrome *P. C. A. Kam and D. Cardone*

Special article

702 Systematic reviews: how they work and how to use them *J. B. Carlisle*

Apparatus

708 Evaluation of four manikins as simulators for teaching airway management procedures specified in the Difficult Airway Society guidelines, and other advanced airway skills *G. M. Jordan, J. Silsby, G. Bayley and T. M. Cook*

713 Evaluation of four airway training manikins as patient simulators for the insertion of single use laryngeal mask airways *T. M. Cook, C. Green, J. McGrath and R. Srivastava*

719 A comparison of the disposable Ambu® AuraOnce™ Laryngeal Mask with the reusable LMA Classic™ laryngeal mask airway *G. Sudhir, D. Redfern, J. E. Hall, A. R. Wilkes and C. Cann*

723 A comparison of the clinical use of the Laryngeal Tube S™ and the ProSeal® Laryngeal Mask Airway by first-month anaesthesia residents in anaesthetised patients *N. S. Klaver, K. Kuizenga, A. Ballast and V. Fidler*

Case reports

728 Combined coronary artery bypass grafting and phaeochromocytoma excision *A. C. Y. To, C. Frost, A. B. Grey, M. S. Croxson and J. Cooper*

734 Successful use of pharyngeal pulse oximetry with the oropharyngeal airway in severely shocked patients *H. Yu and B. Liu*

© 2007 Blackwell Publishing Ltd

737 Drug-induced methaemoglobinaemia following elective coronary artery bypass grafting *A. Choi and A. Sarang*
741 Caudal anaesthesia as a treatment for penile ischaemia following circumcision *S. Kaplanian, N. A. Chambers and I. Forsyth*

Correspondence
744 The evolution of specialist societies into national research networks: a possible solution to the 'translation problem' *J. J. Pandit*
745 Awake fibrecapnic intubation *V. Kushakovskyy and T. Lupton*
J. M. Huitink, A. J. M. Balm, C. Keijzer and D. R. Buitelaar
746 Airtraq® for awake tracheal intubation *A. Suzuki, Y. Toyama, H. Iwasaki and J. Henderson*
747 Airway management skills for novices: is there a role for tracheal intubation? *B. Gibbison*
748 Head position for opening the upper airway *R. S. Greenberg*
748 Evaluation of echocardiographic indices of systolic function *J. Poelaert and C. Roosens*
C. Royse, K. Connelly, G. MacLaren and A. Royse
750 Impaired breastfeeding and labour epidurals – is there really a link? *A. Macfarlane, S. Young and R. Agaram*
751 Hyperlactaemia due to nebulised salbutamol *R. Jee and H. Brownlow*
752 Use of the AnaConDa™ anaesthetic delivery system in ICU *S. Elliot, J. C. Berridge and A. Mallick*
753 Errors in *Anaesthesia* *D. B. Chethan and O. Adekanye*
L. Whelan
753 Pre-emptive use of haloperidol in ICU to prevent emergence agitation *A. Sinha and N. Levy*
754 Oxygen wastage from anaesthetic machines *P. Hersey and R. Patey*
754 Updating the Cormack and Lehane classification *H. Kharbouch and W. Peel*
755 Capnography during sedation *N. H. Berry and M. G. Smith*
755 Some pedantry *J. G. Hudsmith*
W. Harrop-Griffiths

Snippet
756 Fault in resuscitator *S. Ramani*

Instructions for authors

Number 8, August 2007

Editorial
757 Which port in a storm? Use of suxamethonium without intravenous access for severe laryngospasm *R. W. M. Walker and R. S. Sutton*

Original articles
760 An evaluation of cardiac output by five arterial pulse contour techniques during cardiac surgery *R. B. P. de Wilde, J. J. Schreuder, P. C. M. van den Berg and J. R. C. Jansen*
769 Supplementation of pre-oxygenation in morbidly obese patients using nasopharyngeal oxygen insufflation *A. S. Baraka, S. K. Taha, S. M. Siddik-Sayyid, G. E. Kanazi, M. F. El-Khatib, C. M. Dagher, J.-M. A. Chehade, F. W. Abdallah and R. E. Hajj*
774 A comparison of two techniques for inserting the Airtraq™ laryngoscope in morbidly obese patients *G. Dhonneur, S. K. Ndoko, R. Amathieu, A. Attias, L. E. L. Housseini, C. Polliand and L. Tual*
778 Intra-operative awareness in children: the value of an interview adapted to their cognitive abilities *U. Lopez, W. Habre, M. Laurençon, G. Haller, M. Van der Linden and I. A. Iselin-Chaves*
790 A comparison of the laryngeal mask airway with facemask and oropharyngeal airway for manual ventilation by critical care nurses in children *J. A. Rechner, V. J. Loach, M. T. Ali, V. S. Barber, J. D. Young and D. G. Mason*
796 Remifentanil for tracheal tube tolerance: a case control study *A. M. Machata, U. M. Illievich, B. Gustorff, C. Gonano, K. Fäßler and C. K. Spiss*
802 Reliability of the 'pop' sign as an indicator of dural puncture during obstetric spinal anaesthesia: a prospective observational clinical study *A. Kathirgamanathan and N. Hawkins*
806 Recovery from neuromuscular blockade: a survey of practice *M. Grayling and B. P. Sweeney*
810 The addition of dexamethasone to dolasetron or haloperidol for treatment of established postoperative nausea and vomiting *D. Rüsch, C. Arndt, H. Martin and P. Kranke*
818 Optimal skin surface landmark for the SVC-RA junction in cancer patients requiring the implantation of permanent central venous catheters *J. H. Hsu, S. S. Wang, D. V. Lu, K. I. Cheng, C. K. Wang and J. R. Wu*

Apparatus
824 The effect of high concentration potassium permanganate on protein contamination from metallic and synthetic rubber airway equipment *W. Laupu and J. Brimacombe*
827 A comparison of the Truview® blade with the Macintosh blade in adult patients *M. Barak, P. Philipchuck, P. Abecassis and Y. Katz*

Case reports
832 Beriplex P/N: an alternative to fresh frozen plasma in severe haemorrhage *M. Bhardwaj and R. Bunsell*
835 Acute lung injury probably associated with infusion of propofol emulsion *K. D. Chondrogiannis, G. C. M. Siontis, V. P. Koulouras, M. E. Lekka and G. Nakos*

© 2007 Blackwell Publishing Ltd

838 Unresponsive asystolic cardiac arrest responding to external cardiac pacing in a patient with phaeochromocytoma *M. J. Taylor and A. McIndoe*
842 The use of propofol and remifentanil for the anaesthetic management of a super-obese patient *L. La Colla, G. La Colla, A. Albertin, D. Poli, F. W. Baruffaldi Preis and A. Mangano*
846 Profound vasodilatory hypotension in a patient with known empty sella syndrome following cardiac surgery *S. N. J. Lamont, W. T. McBride, K. M. Bill and B. Varadarajan*

Correspondence
850 Transcutaneous carbon dioxide monitoring *J. G. McCormack and K. P. Kelly D. Bolliger, L. A. Steiner, M. Filipovic and M. D. Seeberger*
851 Size of tracheal tubes *N. M. Wharton and T. M. Cook J. E. Duggan and U. McNelis*
852 Deep brain neuro-stimulators and anaesthesia *D. J. Milligan and K. R. Milligan*
853 Peri-operative stroke: implications of anaesthetic technique *C. Dunstan and C. Jerwood*
853 Non-heart beating organ donation *D. M. Jolliffe*
854 Postoperative analgesia requirements after inguinal hernia repair: effects of wound infiltration *A. Chekairi and K. R. Khan M. Ausems*
855 The optimal head position for mask ventilation *M. El-Orbany P. Paal, A. Von Goedecke, H. Brugger, T. Niederklapfer, K. H. Lindner and V. Wenzel*
856 Thyroid cyst mimicking a large neck vein on ultrasound *J. Carrannante, P. Bishop and M. Henley A. Raajkumar and K. Ramachandran*
856 Death associated with sub-Tenon's anaesthesia *J. R. Davies*
857 Monitoring guidelines: a missed opportunity? *A. Simpson and N. Levy R. J. S. Birks*
858 Introducing the ProSeal™ laryngeal mask airway need not prevent training in tracheal intubation *B. Gibbison, P. Forster and T. M. Cook*
859 Emergency cardiopulmonary bypass in a patient with a mediastinal mass *T. Asai*
860 Rebreathing after incorrect assembly of sodalime canisters on Blease Sirius anaesthetic machines *G. Peters, I. Broome and A. McDonald L. Dalgety*
861 Communication between channels of a multilumen central venous catheter *F. W. Swinton and B. Newman*
861 Falling intravenous fluid container *S. Chaudhari and S. Feaver*
862 A home-made bougie *A. Sharaf*

863 Book reviews

Number 9, September 2007

Editorial
865 Training for trauma *D. Southern and A. Sen*

Original articles
868 The effects of electromyographic activity on the accuracy of the Narcotrend® monitor compared with the Bispectral Index during combined anaesthesia *P. Panousis, A. R. Heller, M. Burghardt, J. U. Bleyl and T. Koch*
875 The utility of B-type natriuretic peptide in predicting postoperative cardiac events and mortality in patients undergoing major emergency non-cardiac surgery *B. H. Cuthbertson, G. Card, B. L. Croal, J. McNeilly and G. S. Hillis*
882 A minimally invasive metabolic test with intramuscular injection of halothane 5 and 6 vol% to detect probands at risk for malignant hyperthermia *F. Schuster, A. Gardill, T. Metterlein, P. Kranke, N. Roewer and M. Anetseder*
888 Pre-operative high sensitivity C-reactive protein and postoperative outcome in patients undergoing elective orthopaedic surgery *G. L. Ackland, J. M. Scollay, R. W. Parks, I. de Beaux and M. G. Mythen*
895 The concept of surgical operating list 'efficiency': a formula to describe the term *J. J. Pandit, S. Westbury and M. Pandit*
904 Bacterial contamination of anaesthetists' hands by personal mobile phone and fixed phone use in the operating theatre *H.-C. Jeske, W. Tiefenthaler, M. Hohlrieder, G. Hinterberger and A. Benzer*
907 BIS and Entropy in the elderly *G. Arnold, M. Kluger, L. Voss and J. Sleigh*
913 A study of airway management using the ProSeal LMA® laryngeal mask airway compared with the tracheal tube on postoperative analgesia requirements following gynaecological laparoscopic surgery *M. Hohlrieder, J. Brimacombe, S. Eschertzhuber, H. Ulmer and C. Keller*
919 The effect of dilution and prolonged injection time on fentanyl-induced coughing *H. Yu, X.-Y. Yang, X. Zhang, Q. Li, T. Zhu, Y. Wang and B. Liu*
923 A randomised placebo-controlled trial of the effects of midazolam premedication on children's postoperative cognition *K. Millar, A. J. Asbury, A. W. Bowman, M. T. Hosey, K. Martin, T. Musiello and R. R. Welbury*
931 Effects of normobaric hyperoxia on haemodynamic parameters of healthy full-term parturients *K. N. Litchfield, J. M. Harten, K. J. Anderson, J. Kinsella and E. M. McGrady*

© 2007 Blackwell Publishing Ltd

Apparatus

936 Comparison of the Airway Scope®, gum elastic bougie and fibreoptic bronchoscope in simulated difficult tracheal intubation: a manikin study *Y. Koyama, G. Inagawa, T. Miyashita, T. Kikuchi, N. Miura, T. Miki, R. Kurihara, Y. Kamiya and T. Goto*

940 An evaluation of the TruView EVO2 laryngoscope *J. B. Li, Y. C. Xiong, X. L. Wang, X. H. Fan, Y. Li, H. Xu, Y. Ma and X. M. Deng*

944 Evaluation of the Basic Airway Model, a novel mask ventilation training manikin *G. Sudhir, M. R. W. Stacey, M. Hampson and J. Mecklenburgh*

Case reports

948 Awake insertion of the fibreoptic intubating LMA CTrach™ in three morbidly obese patients with potentially difficult airways *R. Wender and A. J. Goldman*

952 Torsades de pointes and self-terminating ventricular fibrillation in a prescription methadone user *D. Atkinson, A. Dunne and M. Parker*

956 Apnoeic spells following general anaesthesia in a patient with familial hemiplegic migraine *J. Willson and S. Kapur*

959 Ketamine for emergency anaesthesia at very high altitude (4243 m above sea-level) *M. P. W. Grocott and L. Johannson*

963 Peri-operative respiratory failure in a cirrhotic patient: a misleading diagnosis *S. Busani, L. Rinaldi, E. Barbieri, A. Drago, A. Barbieri and M. Girardis*

Correspondence

966 Intubation via a laryngeal mask airway with an Aintree catheter – not all laryngeal masks are the same *K. B. Greenland, H. Tan and M. Edwards*

967 Difficulty with intubation over a fibrescope vs over a bougie *T. Asai J. E. Duggan and U. McNelis*

968 Pressure palsy mimicking brachial plexus injury after mastectomy *G. C. Zografos, F. Zagouri, T. N. Sergentanis, C. Fotiadis and J. Bramis*

968 Anaesthetic management of patients with Takotsubo cardiomyopathy *S. Sathishkumar and W. Lau*

969 Accidental use of glucose solution in an arterial cannula flush system *R. Birk and J. Vernon*

969 Tissue adhesive as an alternative to sutures for securing central venous catheters *J. N. Wilkinson, N. Sheikh and J. Jayamaha*

970 Low volume sub-Tenon's block *C. M. Kumar*

971 An added benefit of bilateral blood pressure monitoring during carotid endarterectomy *O. O'Connell, T. Lynch and C. Motherway*

971 Cardiorespiratory arrest during trigeminal rhizolysis *G. P. Rath, H. H. Dash, H. Prabhakar and M. P. Pandia*

972 Ultrasound-guided localisation of the trachea *J. A. Orr, R. S. Stephens and V. M. Mitchell*

973 Risk of air embolism from prefilled syringes *M. Marsh*

973 Novel use of graded elastic compression stockings *M. Krishna*

973 'False' teeth *K. A. Kirkpatrick*

Number 10, October 2007

Editorial

975 Intubation training in the real world: a defence of the Northwick Park drill *R. S. Cormack and J. R. Lehane*

Original articles

979 Continuous cardiac output measurement: arterial pressure analysis versus thermodilution technique during cardiac surgery with cardiopulmonary bypass *S. Lorsomradee, S. R. Lorsomradee, S. Cromheecke and S. G. De Hert*

984 Airway topicalisation in morbidly obese patients using atomised lidocaine: 2% compared with 4% *P. M. Wieczorek, T. Schricker, B. Vinet and S. B. Backman*

989 The assessment of postoperative pain by monitoring skin conductance: results of a prospective study *T. Ledowski, J. Bromilow, J. Wu, M. J. Paech, H. Storm and S. A. Schug*

994 Epidural infusion of levobupivacaine and sufentanil following thoracotomy *G. De Cosmo, E. Congedo, A. Mascia, E. Adducci, C. Lai and P. Aceto*

1000 Effects of albumin 5% and artificial colloids onclot formation in small infants *T. Haas, A. Preinreich, E. Oswald, W. Pajk, J. Berger, G. Kuehbacher and P. Innerhofer*

1008 The pharmacokinetics of ropivacaine after four different techniques of brachial plexus blockade *H. C. Rettig, J. G. C. Lerou, M. J. M. Gielen, E. Boersma and A. G. L. Burm*

1015 Statistics-based alarms from sequential physiological measurements *M. J. Harrison and C. W. Connor*

1024 Ultrasound-guided training in the performance of brachial plexus block by the posterior approach: an observational study *G. J. van Geffen, H. C. Rettig, T. Koornwinder, S. Renes and M. J. M. Gielen*

1029 Comparison of cricothyroidotomy on manikin vs. simulator: a randomised cross-over study *B. John, I. Suri, C. Hillermann and C. Mendonca*

1033 The representation of anaesthesia in children's literature *S. C. Rawlinson and J. A. Short*

Review article

1039 Interpleural block – part 1 *R. M. Dravid and R. E. Paul*

© 2007 Blackwell Publishing Ltd

Apparatus

1050 Cervical spine movement during laryngoscopy using the Airway Scope compared with the Macintosh laryngoscope *Y. Hirabayashi, A. Fujita, N. Seo and H. Sugimoto*

1056 User satisfaction and forces generated during laryngoscopy using disposable Miller blades: a manikin study *G. Sudhir, A. R. Wilkes, P. Clyburn, I. Aguilera and J. E. Hall*

1061 Use of the Airtraq laryngoscope in a model of difficult intubation by prehospital providers not previously trained in laryngoscopy *M. Woollard, W. Mannion, D. Lighton, I. Johns, P. O'Meara, C. Cotton and M. Smyth*

Case reports

1066 Autonomic dysfunction in tetanus – what lessons can be learnt with specific reference to alpha-2 agonists? *D. Freshwater-Turner, A. Udy, J. Lipman, R. Deans, J. Stuart, R. Boots, R. Hegde and B. C. McWhinney*

1071 Inhibition of a pacemaker during nerve stimulation for regional anaesthesia *L. Engelhardt, J. Große, J. Birnbaum and T. Volk*

Correspondence

1075 Which is the logical supraglottic airway device for use on ICU? *M. Thomas and T. M. Cook S. Elliot and A. Mallick*

1076 King Cobra envenoming *S. Larréché, G. Mion, J. L. Daban and M. Goyffon J. Silsby and J. Carter*

1077 The wrong arterial line flush solution *U. Panchagnula and A. N. Thomas*

1078 Bronchoalveolar lavage in the diagnosis of ventilator-associated pneumonia *A. J. Campbell and D. W. Noble*

1078 Compression of the left atrium by a reconstructed gastric tube after subtotal oesophagectomy *H. Okawa*

1079 Watch the point! *P. Ramasamy, L. Wee, J. Dick and R. Bell*

1080 Venocaval compression due to abdominal post support and positioning during orthopaedic anaesthesia *M. Satisha and R. Evans*

1080 Silicone impression putty for protection of teeth during intubation *B. Collard, S. Lee and J. Azzopardi*

1081 A monitor to facilitate use of the Airtraq® laryngoscope *Y. Hirabayashi and N. Seo*

Online Correspondence

1082 Non-heart-beating organ donation *C. Morris*

1082 Outcome of out-of-hospital cardiac arrest *J. Nolan and S. Laver A. Bodenham*

1083 Takotsubo cardiomyopathy *J. Friis*

1084 Maintenance fluids for children *A. Gurung*

1084 Hyperlactaemia in asthmatics *J. Hulme*

Number 11, November 2007

Editorial

1087 Inhalational induction of anaesthesia in adults: time for a breath of fresh air? *S. H. McClelland and J. G. Hardman*

Original articles

1090 Drug selection errors in relation to medication labels: a simulation study *P. Garnerin, T. Perneger, P. Chopard, M. Arès, R. Baalbaki, P. Bonnabry and F. Clergue*

1095 Combining multiple comorbidities with Acute Physiology Score to predict hospital mortality of critically ill patients: a linked data cohort study *K. M. Ho, J. Finn, M. Knuiman and S. A. R. Webb*

1101 Effects of continuous remifentanil administration on intra-operative subcutaneous tissue oxygen tension *B. Kabon, A. Kugener, T. Gruenberger, M. Niedermayr, E. Fleischmann, M. Freissmuth and A. Kurz*

1110 A prospective randomised double blind study to evaluate the effect of peribulbar block or topical application of local anaesthesia combined with general anaesthesia on intra-operative and postoperative complications during paediatric strabismus surgery *N. Gupta, R. Kumar, S. Kumar, R. Sehgal and K. R. Sharma*

1114 The effect of time of day on the duration of neuromuscular blockade elicited by rocuronium *J. F. Cheeseman, A. F. Merry, M. D. M. Pawley, R. L. de Souza and G. R. Warman*

1121 Identification of the correct lumbar level using passive intersegmental motion testing *R. C. Chakraverty, P. B. Pynsent, A. Westwood and J. K. Chakraverty*

1126 The pressure effects of facemasks during non-invasive ventilation: a volunteer study *K. Munckton, K. M. Ho, G. J. Dobb, M. Das-Gupta and S. A. Webb*

1132 A comparison of dexmedetomidine and midazolam for sedation in third molar surgery *C. W. Cheung, C. L. A. Ying, W. K. Chiu, G. T. C. Wong, K. F. J. Ng and M. G. Irwin*

1139 The effect of cannula material on the incidence of peripheral venous thrombophlebitis *A. Gupta, Y. Mehta, R. Juneja and N. Trehan*

Review articles

1143 Interpleural block – part 2 *R. M. Dravid and R. E. Paul*

1154 Selected new antithrombotic agents and neuraxial anaesthesia for major orthopaedic surgery: management strategies *N. Rosencher, M.-P. Bonnet and D. I. Sessler*

© 2007 Blackwell Publishing Ltd

Apparatus

1161 A comparison of direct and indirect laryngoscopes and the ILMA in novice users: a manikin study *C. H. Maharaj, J. G. McDonnell, B. H. Harte and J. G. Laffey*

1167 A comparison of the disposable vs the reusable laryngeal tube in paralysed adult patients *A. Amini, F. Zand and S. E. Sadeghi*

1171 Improving the efficiency of the drawover anaesthetic breathing system *M. Eales, P. Rowe and R. Tully*

Case reports

1175 Use of thromboelastography to demonstrate persistent anticoagulation after stopping enoxaparin *R. Simons and S. V. Mallett*

1179 Multiple system atrophy as a cause of upper airway obstruction *Y. S. Lim and N. J. Kennedy*

Correspondence

1183 Sedation for dental treatment *K. Ruiz, N. D. Robb, I. C. Tring and D. Terry*
L. Strunin
P. Coulthard

1185 Non-survivors of out-of-hospital cardiac arrest should always be considered potential non-heart-beating organ donors *M. A. Kuiper, A. E. Schaafsma, M. J. van Dam, M. J. Schultz and P. E. Spronk*
A. Bodenham, A. Gratrix and A. Pittard

1187 Epidural endeavour and the pressure principle *K. Cullis and J. Isaac*

1188 Cimetidine and dapsone-mediated methaemoglobinaemia *M. Mehta*

1188 Oxygen wastage *D. Dalgleish and M. Fletcher*
P. Hersey and R. Patey

1189 Single-use tracheal introducers may not be fit for purpose *I. Hodzovic and I. P. Latto*

1190 Regional anaesthesia in a patient with centronuclear (myotubular) myopathy *M. Ranganathan and C. Mendonca*

1190 Kinking of a soft nasal tracheal tube *J. Jones*

1191 Propofol and peanut allergy *K. Gangineni, A. E. Scase and J. Fearn*

1192 Difficult airway in a Sikh *M. A. Kadry*
P. Chowdhury

1192 Potentially confusing markings on a tracheal tube *R. Baraz and P. Gataure*
L. Keene

Abstracts

1193 The following abstracts were presented at the Autumn Meeting of the Association of Cardiothoracic Anaesthetists in Cambridge, June 2007

1197 Corrigendum

1198 Erratum

Number 12, December 2007

Editorial

1199 Needlestuck *S. M. White*

Original articles

1202 Fatal errors in nitrous oxide delivery *H. Herff, P. Paal, A. von Goedecke, K. H. Lindner, C. Keller and V. Wenzel*

1207 Outcome following admission to UK intensive care units after cardiac arrest: a secondary analysis of the ICNARC Case Mix Programme Database *J. P. Nolan, S. R. Laver, C. A. Welch, D. A. Harrison, V. Gupta and K. Rowan*

1217 EEG changes and serum anticholinergic activity measured in patients with delirium in the intensive care unit *K. Plaschke, H. Hill, R. Engelhardt, C. Thomas, R. von Haken, M. Scholz, J. Kopitz, H. J. Bardenheuer, M. Weisbrod and M. A. Weigand*

1224 M-Entropy guidance vs standard practice during propofol-remifentanil anaesthesia: a randomised controlled trial *M. Gruenewald, J. Zhou, N. Schloemerkemper, P. Meybohm, N. Weiler, P. H. Tonner, J. Scholz and B. Bein*

1230 Comparison of the incidence and severity of cough induced by sufentanil and fentanyl: a prospective, randomised, double-blind study *A. Agarwal, S. Gautam, S. S. Nath, D. Gupta and U. Singh*

1233 Pulmonary function and inflammatory markers in patients undergoing coronary revascularisation with or without cardiopulmonary bypass *J. H. Heijmans, K. S. A. E. Liem, G. M. C. Damoiseaux, J. G. Maessen and P. M. H. J. Roekaerts*

1241 Pre-operative analgesia with rectal diclofenac and/or paracetamol in children undergoing inguinal hernia repair *W. Riad and A. Moussa*

1246 The use of patient-controlled epidural fentanyl in elderly patients *T. Ishiyama, T. Iijima, T. Sugawara, K. Shibuya, H. Sato, Y. Terada, M. Ichikawa, D. I. Sessler and T. Matsukawa*

1251 Closed-loop feedback computer-controlled infusion of phenylephrine for maintaining blood pressure during spinal anaesthesia for caesarean section: a preliminary descriptive study *W. D. Ngan Kee, Y. H. Tam, K. S. Khaw, F. F. Ng, L. A. Critchley and M. K. Karmakar*

1257 Contamination of anaesthetic machines with pathogenic organisms *J. K. Baillie, P. Sultan, E. Graveling, C. Forrest and C. Lafong*

1262 The use of intranasal midazolam in the treatment of paediatric dental patients *F. Gilchrist, A. M. Cairns and J. A. Leitch*

Review article

1266 Remifentanil for general anaesthesia: a systematic review *R. Komatsu, A. M. Turan, M. Orhan-Sungur, J. McGuire, O. C. Radke and C. C. Apfel*

© 2007 Blackwell Publishing Ltd

Apparatus

1302 A randomised comparison of the single use LMA Flexible™ with the reusable LMA Flexible™ in paediatric dental day-case patients *P. Flynn, F. B. Ahmed, V. Mitchell, A. Patel and S. Clarke*

1285 A randomised, crossover comparison between the CobraPLA® and the LMA Classic™ in paralysed patients *S. B. Nam, D. W. Han, C. H. Chang and J. S. Lee*

Correspondence

1289 Which port in a storm? *R. E. Brown R. W. M. Walker and R. S. Sutton*

1290 Allocative efficiency vs technical efficiency in operating room management *F. Dexter, R. E. Wachtel, R. H. Epstein, C. McIntosh and L. O'Neill J. J. Pandit, S. Westbury and M. Pandit*

1292 Recovery from neuromuscular blockade and routine monitoring of neuromuscular function *J. Viby-Mogensen and C. Claudius B. P. Sweeney and M. Grayling*

1294 Codeine and tramadol analgesic efficacy and respiratory effects are influenced by CYP2D6 genotype *U. M. Stamer and F. Stüber P. S. Sudeer, S. W. Logan, B. Ateleanu, C. Terblanche and J. E. Hall*

1296 A comparison of the Laryngeal Tube S and the LMA ProSeal laryngeal mask airway *M. S. Stix, C. J. O'Connor Jr and D. R. Valade T. M. Cook N. S. Klaver, K. Kuisenga, A. Ballas and V. Fidler*

1298 Local anaesthetic-opioid mixture for emergency Caesarean section *D. Benhamou S. Malhotra and S. M. Yentis*

1299 Epidural haematomas *F. Swinton and M. Schuster-Bruce*

1299 Morbid obesity and anaesthesia *R. Deepak and G. Biswas*

1300 A self-powered laryngoscope for remote communities *M. J. Clifford and P. Berry*

1300 Wrong-route drug error *T. D. Madamombe and J. N. Hollis*

1301 Bribery in the anaesthetic room *N. W. Flatt*

Snippet

1302 A novel technique to aid the teaching and supervision of aseptic procedures *P. Isherwood and M. Edwards*

© 2007 Blackwell Publishing Ltd